



Drivers

Cindy Myers - 2020-07-10 - Comments (0) - FlashScan V2 Hardware Configuration

Windows Vista & Windows 7

Follow these steps to load **FlashScan/AutoCal V2** drivers on Microsoft Windows Vista and Windows 7 systems.

1. Press the **Windows+Pause/Break** keys on your keyboard or right-click on **Computer** and select the **Properties** option.
2. Select the **Device Manager** option in the left-hand pane.
3. Expand the **Other Devices** category.
4. Right-click on the **FlashScan** or **AutoCal** device and select the **Update Driver Software...** option.
5. Select the **Browse my computer for driver software** option.
6. Click the **Browse** button.
7. Navigate to the **C:\Program Files\EFILive\Drivers\EFILive\Win-XP-Vista-7-8** (or **C:\Program Files (x86)\EFILive\Drivers\EFILive\Win-XP-Vista-7-8** on 64 bit systems). **Note: Do not go deeper into the i386 or amd64 folders as driver install will fail.**
8. Click the **Next** button.

Windows XP

Follow these steps to load **FlashScan/AutoCal V2** drivers on Microsoft Windows XP systems.

1. Press the **Windows+Pause/Break** keys on your keyboard or right-click on **My Computer** and select the **Properties** option.
2. Select the **Hardware** tab.
3. Click the **Device Manager** button.
4. Expand the **Other devices** category.
5. Right-click on the **FlashScan** or **AutoCal** device and select the **Update Driver...** option.
6. Select **No, not this time** when prompted with the **Hardware Update Wizard** dialog.
7. Select the **Install from a list or specific location (Advanced)** option.
8. Uncheck the **Search removable media (floppy, CD-ROM...)** checkbox.
9. Check the **Include this location in the search** option.
10. Click the **Browse** button.

11. Navigate to the **C:\Program Files\EFILive\Drivers\EFILive\Win-XP-Vista-7-8** (or **C:\Program Files (x86)\EFILive\Drivers\EFILive\Win-XP-Vista-7-8** on 64 bit systems). **Note: Do not go deeper into the i386 or amd64 folders as driver install will fail.**
12. Click the **Next** button.
13. Click the **Finish** button.

Related Content

- [V2 USB FAQ](#)